Pro-Active and Responsive Facilitation by Interactive,

Single-Window Hub

and Virtuous Environmental





Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), Maharashtra)

To,

The Partner SHARADA ALLIANCE PROMOTERS & BUILDERS Ground Floor, Flat No. 1, Happy Home Society, Law College Road -411004

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/MIS/290748/2022 dated 29 Aug 2022. The particulars of the environmental clearance granted to the project are as below.

EC23B000MH152150 1. EC Identification No. SIA/MH/MIS/290748/2022 2. File No. 3.

Project Type New 4. Category B2

5. Project/Activity including N/A Schedule No.

6. Name of Project

Residential and Commercial project "Mokate Kalanidhi" at C.T.S. No. 1362, S. No. 83/22(P), + C.T.S. No. 1362, S. No. 83/23/1(P), + C.T.S. No. 1361, S. No. 83/24/2(P), C.T.S. No. 1360, S. No. 83/29(P) at Kothrud, Tal. - Haveli, Dist.-

Pune by Sharada

SHARADA ALLIANCE PROMOTERS & 7. Name of Company/Organization

BUILDERS

8. **Location of Project** Maharashtra

9. **TOR Date** N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Pravin C. Darade, I.A.S. Date: 08/08/2023 **Member Secretary** SEIAA - (Maharashtra)

Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/290748/2022 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

M/s.Sharada Alliance Promoters and Builders,

C.T.S. No. 1362, S. No. 83/22(P), +

C.T.S. No. 1362, S. No. 83/23/1(P), +

C.T.S. No. 1361, S. No. 83/24/2(P),

C.T.S. No. 1360, S. No. 83/29(P)

Kothrud, Tal. - Haveli, Dist.- Pune.

Subject

: Environmental Clearance for proposed construction project Mokate Kalanidhi at C.T.S. No. 1362, S. No. 83/22(P), + C.T.S. No. 1362, S. No. 83/23/1(P), + C.T.S. No. 1361, S. No. 83/24/2(P), C.T.S. No. 1360, S. No. 83/29(P) at Kothrud, Tal. - Haveli, Dist.- Pune by M/s.Sharada Alliance Promoters and

Builders

Reference

: Application no. SIA/MH/MIS/290748/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 168th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 261st (Day-4) meeting of State Level Environment Impact Assessment Authority (SEIAA) held on 16.06.2023.

2. Brief Information of the project submitted by you is as below:-

1.	Proposal Number	SIA/MH	SIA/MH/MIS/290748/2022					
2.	Name of Project	Mokate Kalanidhi						
3.	Project category	Category	Category 8(a)-Building Construction Project, Cat. B					
4.	Type of Institution	Private	Private					
	Project Proponent	Name	Mr. Vilas R. Yadav					
		Regd.	Sharada Alliance Promoters and Builders					
		Office	2,66/3, Happy Home Co. Op. Hsg. Society, Law					
5.		address	College Road, Erandwane, Pune 411004					
٦.		Contact	8975049090					
		number						
		E-mail	info@sharadaalliance.com,					
			amruta@sharadaalliance.com_					
	Consultant	MITCON Consultancy and Engineering Services Limited						
6.		NABET Certificate No. NABET/EIA/2124/RA 0229_Rev 02Valid						
		till 05.02.2024						
7.	Applied for	Fresh EC / New Greenfield Project						
8.	Details of previous EC	NA						

9.	Location of the project	C.T.S. No. 1362, S. No. 83/22(P), + C.T.S. No. 1362, S. No. 83/23/1(P), + C.T.S. No. 1361, S. No. 83/24/2(P), C.T.S. No. 1360, S. No. 83/29(P) at Kothrud, Tal Haveli, Dist Pune 411038										
10	Latitude and Longitude	18°30'9.24"N 73°48'12.99"E										
\vdash	Total Plot Area (m ²)	3282										
	Deductions (m ²)	404.39										
-	Net Plot area (m ²)	2877.61										
_	Proposed FSI area (m ²)	15555.52										
\vdash	Proposed PSI area (m') Proposed non-FSI area (m²)	11324.48										
16.	Proposed TBUA (m ²)	26880.00						_				
17.	TBUA (m ²) approved by Planning Authority till date	N.A.										
18.	Ground coverage (%)	43.02 %										
19.	Total Project Cost (Rs.)	87 Cr.										
		Activity					ocation	Co st	Duration			
		Infrastructure creation for										
		drinking water supply										
	CER as per MoEF & CC circular dated 01/05/2018	Rain wate										
$\lfloor 20 \rfloor$		Avenue plantation, plantation in										
		communi				As per EMP						
		Electrification including					-					
		installation of solar power street										
		lights										
		Solid waste management										
		facilities										
		Previou							Reason for			
		s EC /							Modification /			
		Existin g Proposed Configuration Change:										
	Details of Building Configuration:											
		Buildin										
		g						T _				
		Buildin	Conf	Hei			Configu	Heig				
		g	igura	ght		ie	ration	ht	NA			
21.		Name	tion	(m)				(m)				
21.		Existing tempora ry shed	ra d NTIAL 13 FLOORS-				LT+ 49.90 RECR					
					EATION							

			shall be			B3+B	2+B	1/LG+				
			demolis	COM			+	51.90				
			hed	RCIA			+14	31.70				
								RS				
			Resident									
22:	Total number of	Commercial – Shops 5 Nos., Showroom 5 Nos., Offices – 28Nos.										
	tenements	Population: 1044										
			Dry Season (CMD)					Wet Season (CMD)				
			Fresh Wa	4	55	Fresh Water		55				
			Recycled		1	Recycled			0			
			(Landsca			(Landscape)						
23.	Water Budget		Swimming Pool			3	Swimming P		ool	3		
			Flushing		3	36	Flushing			36		
			Total		Ģ	92	To	tal		91		
			Waste water			86	Waste water			86		
			generation				generation					
		o. Desci	ription	ption OHT m ³ (Resi. + 0				UGV	VT m³ (Resi. Comm.)			
24.	Water Storage Capacity 1 for Firefighting / UG 2		Dom	45.0 + 12.0 = 57			= 57.0	67.0 + 17.0 = 84.0				
ΔΤ,			Flus	23	23.0 + 14.0 = 3		37.0 34.0		0 + 21.0 = 55.0			
		3	Fire fight	ing	20).0 + 20	0.0 =	= 40.0		200.00		
25.	Source of water		Pune Municipal Corporation									
	Rainwater Harvesting (RWH)		Level of the Ground water table:					e: Pre-Monsoon: 8 m				
								Post Monsoon: 4 m				
26			Size and no of RWH tank(s) and Quantity:					l NA				
26.			Quantity and size of recharge					2 (Surface) + 1 (Roof) = 3				
			pits:					Nos. (1.2m x 2.2m x 1.5m)				
			Details of UGT tanks if any (m ³):					n ³): Domestic: 84				
							Flushing: 55					
						Fir			Fire-fighting: 200			
			Sewage generation in CMD: 8					86				
27.	Sewage and Wastewa	ıter	STP tech				MBBR					
-/-	bewage and wastewater		Capacity of STP (CMD):				65 KLD Residential + 30 KLD					
						Commercial= 95.00 KLD						
			Тур	Quan (kg/d)	٠ ۱		Treatm	ent / disp	oosal			
	Solid Waste Management		Dry wast	aste: 35 S			Shall be handed over to Swach					
	Bolla waste Mallagel	Wet was	/et waste: 15			Shall be composted on site						

28.	during Construction			Par	tly will be consumed	on site for back		
	Phase	Construction 2:		9 filli	ing and site levelling. E	Balance quantity		
		waste	m^3	sha	all be disposed on self	owned plot		
	Solid Waste Management during Operation Phase	Type	Quantit (kg/d)	y	Treatment / dispo	sal		
		Dry waste:	188	Sha	Shall be handed over to Swach			
		Wet waste:	207	Sha	all be treated in OWC			
		Hazardous	NA	-				
29.		waste:						
2).		Biomedical	NA	-				
		waste						
		E-Waste	1460	Sha	Shall be handed over to Swach			
			Kg/y	r.				
		STP Sludge	10	1	Shall be treated on site and manure			
	· · · · · · · · · · · · · · · · · · ·	(dry)		sha	shall be used for landscape			
		Total RG area (r			104.3			
		Existing trees or			1	`		
	Green Belt Development	Number of trees			36			
		Number of trees		<u>t:</u>	1			
		Number of trees	to be		0			
		transplanted:						
	Power requirement:	Source of power			MSEDCL			
30.		During Construc		ise	75			
		(Demand Load):			1574 75 1/31			
		During Operation	-	1574.75 KW				
		(Connected load	<u> </u>	-	(22 00 1/11/			
		During Operation	on phase		632.09 KW			
		(Demand load): Transformer:	620 KX	7 A 1 N	Jos. 9- 215 VXVA 1 NJ			
		DG set:						
		Fuel used:	Diesel	VA X I NOS & 82.5 K VA X I NOS.				
31.	Datails of Energy saying	10 %	Diesei					
.1ر	Details of Energy saving Environmental	Type			Details	Cost		
	Management plan budget	Type			Details	(Lakhs)		
32.	during Construction	Water, Air & No	oise.	Water for Dust Suppression		0.1		
32.	phase	Solid Waste			tion, segregation,	0.1		
	r	Management waste		disposal, etc.				
		Environmental		Air, Water, Noise, Soil		1.5		
		Monitoring		, .,				
			Health,	PPE's	to workers	2		
		fire and Safety						
		Site Sanitation		Mobile toilets, Disinfection		1		
		L						

		Socio economenti environment	nic	Firs Che	nfection- Pest t Aid Facilitie ck Up, Crea ldren, Food for	h r 0.5	
					N-4-21-	Capita	,
		Component			Details	(Lakhs	<u> </u>
		Storm Water		Develop		8	0.2
		Sewage treatment		STP		29	7
		Water treatment		-		0	0
		RWH		RWH wi	th recharge	3	0.3
	Environmental Management plan Budget during Operation phase			bores			
		Swimming Pool		Swimmi	ng Pool	29	0.5
		Solid Waste		Solid Wa	aste	15	2.5
				Manager	ment		
33.		Hazardous waste		-		0	0
		E-waste		E-waste	Management	0.2	0.1
		Green belt		Landsca	pe/	4	2.5
		development		Greenbe	lt		
				Develop	ment		
		Energy saving		Energy s	aving	20	0.8
		Environmental		Environ			
		Monitoring		1	ing of Air,	0	3.5
					loise & Soil		
		Disaster		Disaster	Management	30	2
		Management			T		
	Traffic Management	pe		uired as Actual Prov		ļ	Area per
				r DCR		I	parking (m²)
34.		4-Wheeler		175 175			2187.5
		2-Wheeler		335 335			670
		Bicycles		-	- -		-
35.	Details of Court cases / 1	•	t. the	NA			
	project and project location	1 if any					

3. The proposal has been considered by SEIAA in its 261st (Day-4) meeting held on 16.06.2023 and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

1. PP to submit details of compensatory plantation and submit undertaking for maintenance of the same for the period of 7 years or project completion whichever is later.

- 2. PP to provide electric charging facility by providing charging points at suitable places as per Maharashtra Electric Vehicle Policy, 2021.
- 3. PP to ensure that, the water proposed to use for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.

B. SEIAA Conditions-

- 1. PP submitted that, RG is not applicable to their project as their plot area is less than 0.4 Ha. Local planning authority to ensure the same.
- 2. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 3. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 4. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 5. SEIAA after deliberation decided to grant EC for FSI-15551.46 m2, Non FSI-11324.48 m2, Total BUA- 26875.94 m2. (Plan approval No-Zone-1/7191, dated-31.01.2023)

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.

- X. The Energy Conservation Building code shall be strictly adhered to.
- XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- XVIII. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
 - XIX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done.

- Necessary measures should be made to mitigate the odour problem from STP. b) PP to give 100 % treatment to sewage /Liquid waste and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
- XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIII. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.

- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the

Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Pravin Darade (Member Secretary, SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pune Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.